

CREATE
YOUR STYLE with
CRYSTALLIZED™
-Swarovski Elements

INSPIRATION BOOK INSTRUCTION

LOOP
EARRINGS





LOOP EARRINGS

CRYSTALLIZED™ – Swarovski Elements


Article	Product Group	Article No.	Amount	Size	Colour	Colour Code
	Beads	5000	14 pcs.	3 mm	Crystal AB	001 AB
	Beads	5000	4 pc.	4 mm	Crystal AB	001 AB
	Beads	5150	24 pcs.	11 x6mm	Crystal AB	001 AB

Supplies & Tools


- Supplies**
- Wire, silver-plated, Ø 0.5, 20cm
 - Wire, silver-plated, Ø 0.75, 15 cm
 - Wire, silver-plated, Ø 0.75, 30 cm
- Tools**
- Flat nose pliers
 - Half round pliers
 - Round nose pliers
 - Side cutter

Level of design: INTERMEDIATE
 Have also a look at the **text instruction** at the last page!


STEP 1




STEP 2



STEP 3



STEP 4




STEP 5




STEP 6



STEP 7




STEP 8



STEP 9



STEP 10



STEP 11



Repeat Step 1-11



- STEP 1: Cut 10cm of the 0.5mm wire.
- STEP 2: Leaving 1cm of wire at end as shown in the illustration, form a loop using the round nose pliers.
- STEP 3: Slide a piece of the same 0.5mm wire through the loop created in the step before. Wrap the long end of the wire around the inserted wire and repeat two more times so you have 3 loops. Remove the inserted wire and cut off the first loop together with the short end of the wire so that now you have 2 loops at the end of the wire (see illustration).
- STEP 4: String two CRYSTALLIZED™ Beads, article 5150 and 1 CRYSTALLIZED™ Bead article 5000 4mm onto the wire. Repeat this pattern 4 more times and end with 2 more CRYSTALLIZED™ Beads article 5150.
- STEP 5: Pass the end of the wire through the two loops at the beginning and pull tight. The beads will move so that they are always in a right angle as you can see in the illustration. Then slide one CRYSTALLIZED™ Bead article 5000 3mm onto the end of the wire.
- STEP 6: Using round and chain nose pliers, form a loop in the wire just after the CRYSTALLIZED™ Bead article 5000 3mm and wrap wire around twice, (see illustration). Cut the end of the wire off with side cutters.
- STEP 7: Cut 7.5cm of the 0.75 mm wire with side cutter and use flat nose pliers and round nose pliers to bend a loop on one end as shown in the illustration. Cut off access wire.
- STEP 8: Slide 1 CRYSTALLIZED™ Bead article 5000 4mm and 2 CRYSTALLIZED™ Bead article 5000 3mm onto the wire. Mark the point where the beads stop and remove Beads from wire. Bend wire at marked point into an ear wire using half round pliers as shown in the illustration.
- STEP 9: Slide the CRYSTALLIZED™ Beads (one 5000 4mm and two 5000 3mm) onto the ear wire formed in step 8.
- STEP 10: Open the loop of ear wire using a sideways motion with flat nose pliers and attach it to the loop of the earring made in step 6. Close the loop with flat nose pliers.
- STEP 11: Repeat all steps for a second earring.